

FDAC Load Compatibility Matrix

| Compatible Loads (+/- 0.2 MIL from 100-1,000 yards) | | | | | 175 SMK FDAC SLIDES | | | | |
|---|--------------|--------|------------|----------|---------------------|------|------|------|------|
| Caliber | Manufacturer | Part # | Bullet | Velocity | 2500 | 2550 | 2600 | 2650 | 2700 |
| 0.308 | Hornady | 30502 | 168 AMAX | 2550 | X | | | | |
| | | | | 2600 | | X | | | |
| | | | | 2650 | | | X | | |
| | | | | 2700 | | | | X | |
| | | | | 2750 | | | | | |
| 0.308 | Hornady | 30712 | 178 AMAX | 2500 | X | | | | |
| | | | | 2550 | | X | | | |
| | | | | 2600 | | | X | | |
| | | | | 2650 | | | | X | |
| | | | | 2700 | | | | | |
| 0.308 | Hornady | 30715 | 178 BTHP | 2450 | X | | | | |
| | | | | 2500 | | X | | | |
| | | | | 2550 | | | X | | |
| | | | | 2600 | | | | X | |
| | | | | 2650 | | | | | |
| 0.308 | Hornady | 30452 | 165 SST | 2575 | X | | | | |
| | | | | 2625 | | X | | | |
| | | | | 2675 | | | X | | |
| | | | | 2725 | | | | X | |
| | | | | 2775 | | | | | |
| 0.308 | Sierra | 2220 | 180 SMK | 2490 | X | | | | |
| | | | | 2540 | | X | | | |
| | | | | 2590 | | | X | | |
| | | | | 2640 | | | | X | |
| | | | | 2690 | | | | | |
| 0.308 | Sierra | 2210 | 190 SMK | 2420 | X | | | | |
| | | | | 2480 | | X | | | |
| | | | | 2520 | | | X | | |
| | | | | 2570 | | | | X | |
| | | | | 2620 | | | | | |
| 0.308 | Sierra | 2200 | 168 SMK | 2590 | X | | | | |
| | | | | 2645 | | X | | | |
| | | | | 2680 | | | X | | |
| | | | | 2750 | | | | X | |
| 0.308 | Lapua | GB491 | 155 Scenar | 2515 | X | | | | |
| | | | | 2565 | | X | | | |
| | | | | 2615 | | | X | | |
| | | | | 2665 | | | | X | |
| | | | | 2715 | | | | | |
| 0.308 | Lapua | GB422 | 167 Scenar | 2600 | X | | | | |
| | | | | 2650 | | X | | | |
| | | | | 2700 | | | X | | |
| | | | | 2750 | | | | X | |

| Caliber | Manufacturer | Part # | Bullet | Velocity | 2500 | 2550 | 2600 | 2650 | 2700 |
|---------|--------------|--------|-------------------|----------|------|------|------|------|------|
| 0.308 | Lapua | B476 | 170 Lock Base | 2525 | X | | | | |
| | | | | 2575 | | X | | | |
| | | | | 2625 | | | X | | |
| | | | | 2675 | | | | X | |
| | | | | 2715 | | | | | |
| Caliber | Manufacturer | Part # | Bullet | Velocity | 2500 | 2550 | 2600 | 2650 | 2700 |
| 0.308 | Lapua | D46 | 185 Lapua (D46) | 2450 | X | | | | |
| | | | | 2500 | | X | | | |
| | | | | 2550 | | | X | | |
| | | | | 2600 | | | | X | |
| | | | | 2650 | | | | | |
| Caliber | Manufacturer | Part # | Bullet | Velocity | 2500 | 2550 | 2600 | 2650 | 2700 |
| 0.308 | Lapua | GB432 | 185 Scenar | 2480 | X | | | | |
| | | | | 2530 | | X | | | |
| | | | | 2580 | | | X | | |
| | | | | 2630 | | | | X | |
| | | | | 2680 | | | | | |
| Caliber | Manufacturer | Part # | Bullet | Velocity | 2500 | 2550 | 2600 | 2650 | 2700 |
| 0.308 | Berger | 30411 | 168 BT Berger | 2550 | X | | | | |
| | | | | 2600 | | X | | | |
| | | | | 2650 | | | X | | |
| | | | | 2700 | | | | X | |
| | | | | 2750 | | | | | |
| Caliber | Manufacturer | Part # | Bullet | Velocity | 2500 | 2550 | 2600 | 2650 | 2700 |
| 0.308 | Berger | 30410 | 168 VLD | 2500 | X | | | | |
| | | | | 2550 | | X | | | |
| | | | | 2600 | | | X | | |
| | | | | 2650 | | | | X | |
| | | | | 2700 | | | | | |
| Caliber | Manufacturer | Part # | Bullet | Velocity | 2500 | 2550 | 2600 | 2650 | 2700 |
| 0.308 | Berger | 30420 | 175 Long Range BT | 2440 | X | | | | |
| | | | | 2490 | | X | | | |
| | | | | 2525 | | | X | | |
| | | | | 2575 | | | | X | |
| | | | | 2625 | | | | | |
| Caliber | Manufacturer | Part # | Bullet | Velocity | 2500 | 2550 | 2600 | 2650 | 2700 |
| 0.308 | Berger | 30412 | 175 VLD | 2460 | X | | | | |
| | | | | 2510 | | X | | | |
| | | | | 2560 | | | X | | |
| | | | | 2610 | | | | X | |
| | | | | 2660 | | | | | |

